ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

JOINTS – (BASELINE, NURSE LED)

Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]

Currently experiencing any of the following?

Muscle and/or Joint pain/ache:	☐ NO ☐ YES
Low back pain/ache	☐ NO ☐ YES
Abnormal appearance and/or movement of head and/or neck	☐ NO ☐ YES
Rib/ Costochondral pain (point to sternum/ chest wall area when asking)	☐ NO ☐ YES
Dental symptoms	☐ NO ☐ YES
Pain with chewing	☐ NO ☐ YES
Other (e.g. redness, swelling, stiffness)	☐ NO ☐YES

If YES, specify

Which joints are involved in current symptoms?

Shoulder	☐No	☐Right	☐Left	☐Both	Note _____
Elbow	☐No	☐Right	☐Left	☐Both	Note _____
Wrist	☐No	☐Right	☐Left	☐Both	Note _____
Knuckles(MPC)	☐No	☐Right	☐Left	☐Both	Note _____
Proximal interphalangeal (PIP)	☐No	☐Right	☐Left	☐Both	Note _____
Distal interphalangeal (DIP)	☐No	☐Right	☐Left	☐Both	Note _____
Hip	☐No	☐Right	☐Left	☐Both	Note _____
Knee	☐No	☐Right	☐Left	☐Both	Note _____
Ankle	☐No	☐Right	☐Left	☐Both	Note _____
Heel	☐No	☐Right	☐Left	☐Both	Note _____
Jaw (TMJ)	☐No	☐Right	☐Left	☐Both	Note _____
Neck/spine	☐No	☐Right	☐Left	☐Both	Note _____
Ribs	☐No	☐Right	☐Left	☐Both	Note _____
Costochondral	☐No	☐Right	☐Left	☐Both	Note _____
Other, specify _____	☐No	☐Right	☐Left	☐Both	Note _____

Did the first joint symptoms start before, during, or after Ebola infection? ☐ Before ☐ During (In ETU) ☐ After discharge
If started before Ebola infection, how long before infection[___][___] ☐weeks ☐ months ☐ years ago

If started after discharge, how long after [___][___] ☐days ☐weeks ☐months after discharge

Are symptoms worse in the morning or end of the day (check one)☐Morning ☐End of day ☐No difference

Are symptoms getting better or worse from when they first started☐Better ☐Worse ☐No change

If eye symptoms also exist, did the joint symptoms start before, at the same time, or after the eye symptoms started

☐Before eye symptoms started ☐Stated at same time ☐After eye symptoms started

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

EYES (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Blurry vision	☐No☐Right eye ☐Left eye ☐Both eyes ☐N/A Note:_____
Dry eye	☐No☐Right eye ☐Left eye ☐Both eyes ☐N/A Note:_____
Eye burning	☐No☐Right eye ☐Left eye ☐Both eyes ☐N/A Note:_____
Eye foreign body sensation	☐No☐Right eye ☐Left eye ☐Both eyes ☐N/A Note:_____
Eye pain	☐No☐Right eye ☐Left eye ☐Both eyes ☐N/A Note:_____
Flashes of light	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Floaters	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Full loss of vision	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Itchy eye	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Light sensitivity	☐No☐Right eye ☐Left eye ☐Both eyes Note:_ _____
Red eye	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Watery eye (tearing without crying)	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Other, specify_____	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____
Other, specify_____	☐No☐Right eye ☐Left eye ☐Both eyes Note:_____

Did first eye symptoms start before, during or after Ebola infection ☐ Before ☐ During(In ETU) ☐After discharge

If started before Ebola infection, how long before[___][___] ☐ weeks ☐ months ☐ years before

If started after discharge, how long after[___][___] ☐days ☐ weeks ☐ months after discharge

Are the main symptoms getting better or worse from when it first started ☐ Better ☐ Worse ☐ No change

Did you receive any eye drops for the symptoms since discharge from the ETU ☐ YES ☐ NO

If YES, how did the symptoms change after starting the drops ☐ No change ☐ Got better ☐ Got worse

Did you receive any oral steroids for the symptoms since discharge from the ETU ☐ YES ☐ NO

If YES, how did the symptoms change after starting the oral steroids ☐ No change ☐ Got better ☐ Got worse

Notes on relevant ocular history

_____

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

HEADACHE (BASELINE , NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]]	
Site of pain	☐Unilateral ☐ Bilateral Site, specify_____
Intensity of pain	☐mild- does not affect daily activities ☐ moderate- able to perform daily activities on medication ☐severe- unable to perform day-to- day activities ☐ very severe- needing bed rest
Frequency of episodes	☐Everyday ☐>3/week ☐>3/month ☐ Rare Others, specify _____
Duration of episode	☐< 1hour ☐ 1-4 hours ☐ 4- 72 hours ☐ ceases on medication Others, specify _____
Associated symptoms	☐Photophobia ☐Lacrimation ☐ Retro orbital pain ☐Nausea/vomiting ☐Stiff neck Others, specify _____
Medication	☐on regular medication ☐on SOS basis specify medication _____
Did first headache symptoms start before, during or after Ebola infection ☐Before ☐During(In ETU) ☐After discharge If started before Ebola infection, how long before[___][___] ☐weeks ☐months ☐years before If started after discharge, how long after[___][___]☐days ☐weeks ☐months after discharge Are the main symptoms getting better or worse from when it first started ☐Better ☐Worse ☐No change	

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

EARS – (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Cannot hear (complete loss)	☐No☐Right only ☐Left only ☐Both Note _____
Hearing loss (incomplete loss)	☐No☐Right only ☐Left only☐Both Note _____
Ringing/sound in ear	☐No☐Right only ☐Left only ☐Both Note _____
Aural fullness (feels like water in ears)	☐No☐Right only ☐Left only ☐Both Note _____
Vertigo/ Postural giddiness	☐No☐Right only ☐Left only☐Both Note _____
Other, specify _____	☐No☐Right only ☐Left only☐Both Note _____

Did the first ear symptoms start before, during, or after Ebola infection?
☐Before ☐During (In ETU) ☐After discharge

If started before Ebola infection, how long before infection[___][___] ☐weeks ☐months ☐years ago

If started after discharge, how long after [___][___] ☐days ☐weeks ☐months after discharge

If eye symptoms also exist, did the ear symptoms start before, at the same time, or after the eye symptoms started
☐Before eye symptoms started ☐Stated at same time ☐After eye symptoms started

Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

NEUROLOGY History (BASELINE, NURSE LED) Complete also NEUROLOGY (Examination) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Seizures/ Fits	☐NO ☐YES If YES, Associated symptoms: ☐ Unconsciousness ☐Sudden rapid eye movements ☐fall/injury ☐post seizure confusion
Changes in memory or thinking	☐NO ☐YES If YES, describe_____
Irritability	☐NO ☐YES
Changes in ability to smell or taste	☐NO ☐YES If YES, describe _____
Numbness or tingling of face	☐NO ☐YES If YES, ☐RIGHT ☐LEFT ☐BOTH
Change in sound of voice	☐NO ☐YES If YES, describe _____
Dizziness or vertigo (room spinning)	☐NO ☐YES If YES, describe _____
Weakness or heaviness of limbs	☐NO ☐YES If YES, ☐RIGHT ☐LEFT ☐BOTH
Trouble buttoning clothes or putting on jewellery	☐NO ☐YES If YES, describe _____
Cramps or twitching of muscles	☐NO ☐YES If YES, describe _____
Atrophy (or shrinking) of muscles	☐NO ☐YES If YES, describe _____
Sharp or shooting pains	☐NO ☐YES If YES, describe _____
Tremors	☐NO ☐YES If YES, ☐Coarse ☐Fine
Movement problems	☐NO ☐YES
Feeling of numbness or coldness	☐NO ☐YES If YES, describe _____
Hiccups	☐NO ☐YES
Gait	☐Normal ☐Abnormal

Did the first neurological symptoms start before, during, or after Ebola infection?
☐Before ☐During (In ETU) ☐After discharge

If started before Ebola infection, how long before infection[___][___] ☐weeks ☐months ☐years ago

If started after discharge, how long after [___][___] ☐days ☐weeks ☐months after discharge

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

CARDIAC & RESPIRATORY (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Chest pain	☐NO ☐YES If YES, Did the chest pain start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐weeks ☐months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change Site of pain : ☐ Retro sternal ☐Anterior chest☐Lateral sides of chest wall ☐ epigastric ☐Unilateral ☐Localized, specify _____ Onset : ☐ Sudden ☐Insidious/ subtle Type: ☐ Stabbing ☐ Pressure/ tightness☐Burning ☐Pleuritic Radiation: ☐Neck/jaw/left arm ☐ Back ☐Dermatomal Associated with: ☐ Dyspnea (difficulty breathing) ☐ Palpitations ☐ Cough ☐ Excessive sweating ☐ Wheeze ☐Vesicular ash Aggravating factors: ☐ Stress ☐Deep inspiration ☐Localized pressure, specify _____ Relieving factors: ☐Angina medication(NTG) ☐Antacids/ food
Palpitations?	☐NO ☐YES If YES, Did the palpitations start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐☐After discharge If started before Ebola infection, how long before infection [___][___] ☐ weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change Associated factors: ☐ Dyspnea ☐ Chest pain ☐ Excessive sweating ☐ Stress/ anxiety
Difficulty breathing?	☐NO ☐YES If YES, Dropdown box with the following: Did the difficulty breathing start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change List: ☐On exertion ☐With daily activities ☐Orthopnea(on lying supine) ☐Paroxysmal Nocturnal Dyspnea (3-4 hours after sleep) ☐ Sudden onset ☐Others,
Swollen ankles?	☐NO ☐ Unilateral ☐ Bilateral Did the swollen ankles start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Cough?	☐NO ☐YES If YES, dropdown box with the following: Did the cough start before, during, or after Ebola infection?

ESHealth34

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change ☐ Productive ☐ non-productive} **If Productive, drop down menu:** ☐ White ☐ Green ☐ Brown ☐ Spotted with blood ☐ Frank blood ☐ other} If OTHER describe _____
Coryzal Symptoms (Sneezing/runny nose)	☐NO ☐YES ☐N/A Did the coryzal symptoms start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Dizziness	☐NO ☐YES If Yes, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐ Dyspnea ☐ Chest pain ☐Palpitations☐Excessive sweating
Other	☐NO ☐YES If YES, describe _____ Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

GASTROINTESTINAL (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Abdominal pain	☐NO ☐YES f YES, describe_____ Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Symptoms of Nausea	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Vomiting	☐NO ☐YES If YES, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐ Normal food contents ☐ bile ☐ dark/coffee-ground ☐ fresh blood ☐ other If OTHER_____
Difficulty swallowing?	☐NO ☐YES If YES, drop down menu with the following: Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change ☐ solids ☐ liquids ☐ both)
Heartburn/indigestion?	☐NO ☐YES If YES, Dropdown box with the following: If Yes, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Yellowing of the skin/eyes?	☐NO ☐YES If YES, If Yes, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐Worse ☐No change
Itching of the skin?	☐NO ☐YES If Yes, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Constipation?	☐NO ☐YES If YES, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Tenesmus (feeling you want to open your bowels but can't)?	☐NO ☐YES If YES, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Diarrhea / loose stools	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Change in the colour of stool/any mucus in bowel motion	☐NO ☐YES If YES, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change ☐ dark/black stool ☐ pale stool ☐ fresh blood with stool)
Mucus in stool	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Weight loss (unintentional)	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

Loss of appetite / poor intake	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Excess hunger / voracious appetite	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

RENAL/UROLOGY (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Pain when passing urine	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Increased frequency of passing urine?	☐NO ☐YES If YES, during ☐DAYTIME ☐NIGHTTIME ☐ BOTH Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Blood in your urine?	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Incontinence of urine?	☐NO ☐YES If YES, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___]

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change Timing: ☐ when laughing ☐ ☐ coughing ☐ straining ☐.sudden urgency ☐ other) If OTHER describe _____
Urinary retention?	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Difficulty starting urination	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge A Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Poor urine stream/flow (Males)	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐Better ☐Worse ☐No change
Dribbling after urination? (Males)	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Swelling of the ankles?	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

FEMALE REPRODUCTIVE (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Pelvic pain/lower abdominal pain	☐NO ☐YES If YES, describe_____ Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Increased bleeding during menstruation	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Amenorrhea (no periods for 6 months and not pregnant, peri-/post-menopausal or underweight)	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Vaginal bleeding between periods	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___]

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Vaginal bleeding after sexual intercourse	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Pain during sexual intercourse	☐NO ☐YES If YES, Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change ☐ superficial ☐ deep)
Change in vaginal discharge	☐NO ☐YES If YES, describe (in amount, colour, smell, associated symptoms) _____ Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge

ESHealth34

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Have you tried to conceive a baby since the Ebola infection? (women)	☐NO ☐YES If yes, have you become pregnant? ☐NO ☐YES If yes, have you had any problems during pregnancy? ☐NO ☐YES If YES, describe _____

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

MALE REPRODUCTIVE (BASELINE, NURSE LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
Pain in scrotum	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Swelling in scrotum	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Discharge from end of penis	☐NO ☐YES If YES, describe _____ Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Difficulty getting/maintaining an erection	☐NO ☐YES Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___]

ESHealth34

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Premature/delayed ejaculation	☐NO ☐PREMATURE ☐DELAYED Did the symptom start before, during, or after Ebola infection? ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change

ESHealth34

ESHealth34
Initial Assessment – First visit

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

PSYCHIATRY (BASELINE, NURSE, COUNCILLOR or PSYCHIATRIST LED) Name of Nurse _____ Date of completion [__][_ _]/[_ _][_ _]/[__][_][__][__]	
PSYCHIATRY ☐Check here if Psychiatric is normal and all items below are NO	
Difficulty sleeping	☐NO ☐YES If YES ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Hallucinations	☐NO ☐YES If YES ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge ☐ If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Depression or excessive crying	☐NO ☐YES If YES dropdown ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago

ESHealth34

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Anxiety	☐NO ☐YES If YES, ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Feeling scared/ frightened/ new phobias	☐NO ☐YES If YES ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge ☐ If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Excessive use of alcohol/ drugs	☐NO ☐YES If YES ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before

NAME

DOB

PATIENT ID NUMBER: [__][__][__][__][__][__][__][__]

	infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge ☐ If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Hallucinations	☐NO ☐YES If YES, ☐Auditory ☐Visual ☐Both If YES ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change
Thoughts of self-harm/ suicide	☐NO ☐YES If YES ☐Before ☐During (In ETU) ☐After discharge If started before Ebola infection, how long before infection [___][___] ☐weeks ☐months ☐years ago If started after discharge, how long after [___][___] ☐days ☐ weeks ☐months after discharge If started after discharge, how long before now [___][___] ☐days ☐ weeks ☐ months after discharge Are symptoms getting better or worse from when they first started ☐Better ☐Worse ☐No change